


COMPUTER NUMERICAL CONTROL



Download the brochure -
Télécharger la brochure -
Broschüre herunterladen



Kit	Technology				Ref	Compatibility	
						CUTTER 45 / 70 / 105	NEOCUT 45 / 70 105 T400 125 T400
CNC kit 1 Analogic	CNC ANALOGIC	x1	CPC 14 pts	15 m CPC 14 pts	039988	Optional	—
CNC kit 2 Digital	CNC DIGITAL	x1	CPC 14 pts	15 m CPC 14 pts	064737	—	—
CNC kit 3 Digital Retrofit	CNC RETROFIT DIGITAL	x1	CPC 14 pts + Connector 5 pts	—	068957	—	Included

Command cable
15 m
CPC 14 pts
084643



REMOTE CONTROL - Commande déportée



RC-PLASMA
for CUTTER 45/70/105,
NEOCUT 45/70/105/125/
105 T400/125 T400
27 x 20 x 8 cm / 1.2 kg

069596



Compressed air
cleaning filter - Filtre
déshumidificateur
24 x 14 x 14 cm /
1.5 kg
039728

Filter cartridges -
Cartouches pour filtre (x 4)
039735



Filter kit
for CUTTER 70
NEOCUT 105/125
28 x 23 x 9 cm / 500 g
046580




Air pressure regulator
0-12 bar | 0-175 psi
(Compressed air supply
> 9 bar or 130 psi)
059733

Plasma cutter
side




G1/4 male
FR standard

COMPASS - Compas



Ø max	Trolley included	Torches compatibility							Ref
		TPT 25	TPT 40	MT 25K	MT 35K	MT 45	MT 70	MT 125	
1540 mm	 040199	■	■	■	■	—	—	—	040205
820 mm	 037977	—	—	—	—	■	■	■	037984



Included:



MAGNETIC CUTTING KIT - Kit magnétique de coupe



Stainless steel cutting guide




Straight magnetic guide



Angular magnetic guide

Complete magnetic cutting kit 083660	400 mm (x2)	(x2)	(x1)
Magnetic straight cutting kit 083677	800 mm (x1)	(x2)	—
Magnetic angled cutting kit 083684	400 mm (x1)	—	(x1)




Stainless steel cutting
guide

400 mm (x5)
083707

800 mm (x5)
083691

GUIDING KIT - Kit de guidage

For MT 45, MT 70,
MT 125
38 x 31 x 9 cm
/ 3.4 kg
038653



CUTTER 45CT											
	 8 mm  10 mm										
pack CUTTER 45CT 16 M1 062962	•	2 m, 10 mm ²		MT 70, 6 m 037502			x1	x3	x3	x1 (Ohmic)	x1
							Box 20-50A 061613				
pack CUTTER 45CT 16 M2 084520	•	2 m, 10 mm ²	6 m 074668 + MT 70 074583				x1	x3	x3	x1	x1
							Box 20-50A 061613				
pack CUTTER 45CT 16 M3 084537	•	2 m, 10 mm ²	12 m 074675 + MT 70 074583				x1	x3	x3	x1	x1
							Box 20-50A 061613				
pack CUTTER 45CT 16 A1 062986	•	2 m, 10 mm ²			AT 70, 12 m 037533	CNC Kit 1 Analogic 039988	x1 037557	x5 037564	x5 037571	x1 (Ohmic) 037618	x1 037649
pack CUTTER 45CT 32 A2 089471	•	2 m, 10 mm ²			AT 70, 12 m 037533	CNC Kit 1 Analogic 039988	x1 037557	x5 037564	x5 037571	x1 (Ohmic) 037618	x1 037649

CUTTER 70CT											
	 8 mm  10 mm										
pack CUTTER 70CT M1 014589	•	4 m, 10 mm ²		MT 70, 6 m 037502			x1	x3	x3	x1 (Ohmic)	x1
							Box 20-70A 037540				
pack CUTTER 70CT M2 084544	•	4 m, 10 mm ²	6 m 074668 + MT 70 074583				x1	x3	x3	x1	x1
							Box 20-70A 037540				
pack CUTTER 70CT M3 084551	•	4 m, 10 mm ²	12 m 074675 + MT 70 074583				x1	x3	x3	x1	x1
							Box 20-70A 037540				
pack CUTTER 70CT A1 014619	•	4 m, 10 mm ²			AT 70, 12 m 037533	CNC Kit 1 Analogic 039988	x1 037557	x5 037564	x5 037588	x1 (Ohmic) 037618	x1 037649

CUTTER 105CT											
	 8 mm  10 mm										
pack CUTTER 105CT M1 084568	•	4 m, 16 mm ²	6 m 074668 + MT 125 074606				x1 (85A) x1 (105A)	x3	x3 (85A) x3 (105A)	x1 (85A) x1 (105A)	x1 (85A) x1 (105A)
							Box 85/105A 064720				
pack CUTTER 105CT M2 084575	•	4 m, 16 mm ²	12 m 074675 + MT 125 074606				x1 (85A) x1 (105A)	x3	x3 (85A) x3 (105A)	x1 (85A) x1 (105A)	x1 (85A) x1 (105A)
							Box 85/105A 064720				
pack CUTTER 105CT A1 084582	•	4 m, 16 mm ²			AT-125 12 m 039520	CNC Kit 1 Analogic 039988	x1 039148	x5 039155	x5 039193	x1 (Ohmic) 039445	x1 039308

NEOCUT 45 M230											
	 8 mm  10 mm										
pack NEOCUT 45 M230 M1 089488	•	4 m, 10 mm ²	12 m 074675 + MT 70 074583				x1	x3	x3	x1 (Ohmic)	x1
							Box 20-50A 061613				
pack NEOCUT 45 M230 A1 089495	•	4 m, 10 mm ²			AT-70 6 m 037526	Digital / Analogic 084643	x1 037557	x5 037564	x5 037571	x1 (Ohmic) 037618	x1 037649

NEOCUT 70 T400											
	 8 mm  10 mm										
pack NEOCUT 70 T400 M1 089501	•	4 m, 10 mm ²	12 m 074675 + MT 70 074583				x1	x3	x3	x1 (Ohmic)	x1
							Box 20-70A 037540				
pack NEOCUT 70 T400 A1 089518	•	4 m, 10 mm ²			AT-70 6 m 037526	Digital / Analogic 084643	x1 037557	x5 037564	x5 037588	x1 (Ohmic) 037618	x1 037649

NEOCUT 105 T400											
	 8 mm  10 mm										
pack NEOCUT 105 T400 M1 089525	•	4 m, 16 mm ²	12 m 074675 + MT 125 074606			087958	x1 (85A) x1 (105A)	x3	x3 (85A) x3 (105A)	x1 (85A) x1 (105A)	x1 (85A) x1 (105A)
							Box 85/105A 064720				
pack NEOCUT 105 T400 A1 089532	•				AT-125 12 m 039520	Digital / Analogic 084643	x1 039148	x5 039155	x5 039193	x1 (Ohmic) 039445	x1 039308

NEOCUT 125 T400											
	 8 mm  10 mm										
pack NEOCUT 125 T400 M1 089549	•	4 m, 25 mm ²	12 m 074675 + MT 125 074606			087958	x1	x3	x3 (105A) x3 (125A)	x1 (Ohmic)	x1
							Box 105/125A 039544				
pack NEOCUT 125 T400 A1 089556	125A 60%	•	4 m, 25 mm ²		AT-125 12 m 039520	Digital / Analogic 084643	x1 039148	x5 039155	x5 039209	x1 (Ohmic) 039445	x1 039308
pack NEOCUT 125 T400 A2 089563	125A 100%	•	4 m, 25 mm ²		AT-160 12 m 067486	Digital / Analogic 084643	x1 067509	x5 067493	x5 067554	x1 (Ohmic) 067585	x1 067608

MT TORCHES HAND-HELD



MT torches no consumables	I (60%)	I (100%)	L (m)	ref
MT-45	45 A	—	4	088405
MT-70	70 A (50%)	50 A	6	037502
			12	037519
MT-125	125 A	105 A	6	039506
			12	039513



EASYFIT TORCHES

Easyfit connection cable




L (m)	ref
6	074668
12	074675
20	085817

Easyfit handles



no consumables	I (60%)	I (100%)	Angle	ref
MT-70	70 A (50%)	50 A	75°	074583
			15°	074590
MT-125	125 A	105 A	75°	074606
			15°	074613
MT-160	160 A	125 A	85°	087477

Easyfit long handles




no consumables	I (60%)	I (100%)	Angle	Body (cm)	ref
MT-125	125 A	105 A	90°	80	074620
			15°	80	074637
			90°	130	074644
			15°	130	074651

AT TORCHES MECHANIZED



AT torches no consumables

	Recommended max piercing value (I 100%)	(60%)	(100%)	A	B	C	ref
AT-70	13 mm	70 A (50%)	50 A	6 m	376 mm	"Mini" 127 / Ø 35 mm	071865
				6 m	489 mm	240 mm / Ø 35 mm	037526
				12 m			037533
AT-125	20 mm	125 A	105 A	6 m			038479
				12 m	502 mm	240 mm / Ø 35 mm	039520
				15 m			069787
				20 m			069794
AT-160	25 mm	160 A	125 A	6 m			067479
				12 m	529 mm	227 mm / Ø 44.5 mm	067486
				15 m			069800
				20 m			069817



Cutting - Coupage

Cutting - Coupage		 x1	 x5	 x5	 or 		
		Diffuser - Diffuseur - Swirl Ring	Electrode - Schneidelektrode	Tip - Tuyère - Düse	Nozzle - Buse - Schneiddüsenhalter	Ohmic nozzle - Buse ohmique	Deflector - Déflecteur
AT-70	20-50 A	037557	037564	037571	037601	or 037618	037649
	70 A			037588			
AT-125	45 A <i>Precision cut</i>	039131	039155	039315	039216	or 039339	037496
	45 A			039162			039292
	65 A			039179			
	85 A			039186			
	105 A	039148		039193	039223	or 039445	039308
	125 A			039209			
AT-160	45 A <i>Precision cut</i>	067509	067493	067516	087927	067578	076945
	45 A			067523			067592
	65 A			067530			
	85 A			067547			
	105/125 A			067554	087484	067585	067608
	160 A			067561			

STANDARD Consumables - MT Torches

Boxes (cutting) -
Coffrets (coupage)



MT-45	10-45 A	included	MT-70	20-70 A	included	MT-125	45-125 A	included
BOX MT 45 088412			BOX 20-50 A 061613			BOX 45/65/85 A 039537		
			BOX 20-70 A 037540			BOX 85/105 A 064720		
						BOX 105/125 A 039544		

Cutting - Coupage		 x1	 x5	 x5	 x1	 x1
MT-45	20-45 A	x1 037557	x3 Short 037564 Long 067189	x3 037571 Long 067196	x1 088429	x1 Short (20.4 mm) 037625 Long (30.1 mm) 067219
MT-70	20-50 A	x1 x1 037557	x3 Short 037564 Long 067189	x3 x3 037571 Long 067196	x1 x1 037601	x1 Short (20.4 mm) 037625 Long (30.1 mm) 067219
	70 A		x3 Short 037564 Long 067189	x3 037588 Long 067202		x1 Short (20.4 mm) 037625 Long (30.1 mm) 067219
MT-125	45 A Precision cut			039315		039322
	45 A			x3 039162		
	65 A	x1 039131	x3	x3 039179	x1 039216	x1 039230
	85 A	x1	x3 039155	x3 039186	x1	x1
	105 A	x1 039148	x3	x3 039193	x1 039223	x1 039247
MT-160	125 A	x1	x3	x3 039209	x1	
	45 A			067523		
	65 A			067530		
	85 A	067509	067493	067547	087927	x2 087910
	105-125 A			067554		
	160 A			067561	087484	x2 087491


Gouging - Gougeage		 x1	 x5	 x5	 x1	 x1
MT-70	70 A	037557	037564	037595	037601	037632
MT-125	65-85 A	039131		039261	039216	
	105 A		039155	039278		039254
	125 A	039148		039285	039223	
MT-160	105-125 A	067509	067493	x10 087934	087484	x2 087941

DIFFICULT ACCESS Consumables - MT Torches

Cutting - Coupage		 x1	 x3	 x3	 x3	 x5	 x1
MT-70	20-45 A	037557	074682	074859	074897	074767	074910
MT-125	70 A	039131	074699	074866	074897	074774	074910
	70 A					074767	
	100 A	039148				074774	074910

Gouging - Gougeage		 x1	 x3	 x3	 x3	 x5	 x1
MT-70	70 A	037557	074682	074859	074897	074798	074927
MT-125	70 A	039131	074699	074866	074897	074798	074927
	100 A	039148				074804	

Extractor - Extracteur 074842
Assembly & disassembly tool
- Outil d'aide à l'installation
et au démontage



FLAT CUTTING Consumables - MT Torches

Cutting - Coupage		 x2	 x5	 x5	 x5	 x2
MT-70	40-70 A	074736	074705	074873	074811	074903
MT-125	40-70 A	074743	074712	074880	074828	074903
	80-125 A	074750	039155		074835	